

CBD Hemp Experts

83 Knight Boxx Road Orange Park, FL 32065

Project 08/23/2022



Seed to Sale: N/A
Retail Batch#: N/A
Cultivar: N/A
Cultivation Facility: N/A
Processing Facility: N/A
Sampling: SOP 21

COMPLIANCE FOR RETAIL

Sample Name: CBD Isolate Lot 220823-I001 BT-2204224-155

Lab Sample ID: F208160-01
Retail Batch Total Wt/Vol: N/A
Retail Batch Date: N/A

Matrix: Isolate
Retail Batch Total Units: N/A
Total Wt, Vol or Unit Sampled: 1

Date Sampled: 08/23/2022
Date Received: 08/23/2022
Date Reported: 09/02/2022



Terpenes
Not Tested



Heavy Metals
Pass



Foreign Materials
Pass



Microbiology
Pass



Mycotoxins
Pass



Residual Solvents
Pass



Pesticides
Pass



Moisture Content
Not Tested



Water Activity
Not Tested



ND%
Total THC

99.9%
Total CBD

Potency as Received

Cannabinoids

Date Prepared: 08/23/22 13:45
Date Analyzed: 08/23/22 19:06
Lab Batch: B208042

Prep ID: KC
Analyst ID: MM

Specimen Prep: 0.2902 g / 10 mL
Instrument: HPLC

Prep/Analysis Method: ACCU LAB SOP15


Analyte	Dilution	LOQ	Results	Results
			%	mg/g
THCA	10	0.0689	ND	ND
delta 9-THC	10	0.0689	ND	ND
delta 8-THC	10	0.0689	ND	ND
THCV	10	0.0689	ND	ND
CBD	500	3.45	99.9	999
CBDA	10	0.0689	ND	ND
CBDV	10	0.0689	0.298	2.98
CBN	10	0.0689	ND	ND
CBCA	10	0.0689	ND	ND
CBG	10	0.0689	ND	ND
CBGA	10	0.0689	ND	ND
CBC	10	0.0689	ND	ND
THCVa	10	0.0689	ND	ND
CBDA	10	0.0689	ND	ND

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC

LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents presents above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150

Dr. Harry Bezhadi, PhD.
President, CEO

